

General Care of the Vulval Skin

This booklet has been designed to help you care for your vulval skin based on what you will have been prescribed from the clinic. Remember we can only advise, applying your treatments properly is up to you. You should continue soap substitutes and emollients (moisturisers) for life but only use medications as instructed.

If you are diagnosed with a specific skin condition, make sure you have a leaflet about it.

Washing

- Avoid soaps, bubble baths, shower gels, body scrubs, deodorants, wet wipes, baby wipes, douches, and feminine wipes in the vulval area. Even 'simple' products and those advertised especially for the feminine area contain preservatives and chemicals that can irritate your skin.
- Washing with only water dries the skin and aggravates symptoms.
- Use a soap substitute such as Dermol, or hydramol. There are products available to add to bath water.
- Wash only once a day, over cleaning aggravates symptoms.
- Try and avoid washing your hair as you bath if you can.
- In the shower, wash your body and hair, if necessary, first, keeping your legs together to prevent the products reaching your vulval skin. Then rinse the vulva either by taking down the shower head or by using a jug of clean, warm water. Then use your soap substitute and rinse thoroughly.
- Dab dry with a soft towel, don't rub
- Apply emollient.

General Advice

- Wear loose fitting silk or cotton underwear in white or light colours as dark textile dyes (black, navy) may cause an allergy. If you wash new, dark underwear a few times before wearing it, it will be less likely to cause a problem.
- Replace tights with stockings and wear loose fitting trousers or skirts. At home you may find it more comfortable to wear long skirts without underwear.
- Close fitting clothes such as tights, cycling shorts, leggings or tight jeans should be avoided.

- Sleep without underwear.
- Symptoms of burning can be relieved by applying an ice pack or frozen gel pack wrapped in a towel to the skin. Do not apply the pack directly to the skin
- If you have pain, use a foam rubber doughnut for long periods of sitting and try to stand / walk for a few minutes every so often.
- Learn some relaxation techniques to do during the day.
- If you experience a lot of itching, you can buy anti-histamines over the counter to help. Take a non-drowsy one during the day and a drowsy one at night. This will help you to sleep better and scratch less. You can just take these when needed.

Things to Avoid

- Fabric conditioners and biological washing powders. You may want to wash your underwear separately in a non-biological washing powder or gel.
- Over the counter creams including baby or nappy creams, herbal creams such as tea tree oil and aloe Vera and 'thrush' treatments as they may include possible irritants.
- Wearing panty liners or sanitary pads on a regular basis and certainly not perfumed ones.
- Antiseptic as a cream or added to bath water in the vulval area.
- Coloured toilet paper.
- Wearing nail varnish if you tend to scratch your skin.
- Shaving or waxing your pubic hair - trimming is better.
- Vaginal douches.
- Spermicidal lubricated condoms.
- Contraceptive creams and spermicides.
- Swimming in highly chlorinated pools unless a barrier cream is applied first.
- Hot tubs.
- Activities that put direct pressure on the vulva such as cycling and horse riding.
- Exercises that create a lot of friction in the vulval area; try lower intensity exercise such as walking.

Emollients

- It is recommended to moisturise your vulval skin 4-5 times a day as this will protect the skin and prevent flare ups even if you do not have symptoms. Find one that suits you; if the first one you try does not work well; it is always worth trying another one.
- Suitable emollients are: Balneum cream, Hydramol, Balneum plus cream, Epaderm, Diprobase, 50:50 and Aveeno.
- If your skin is irritated, you can keep it in the fridge and dabbed on to cool and soothe the skin as often as you like.
- In our busy lives it is easy to apply moisturiser morning and evening but less easy during the day. Try keeping your cream next to the toilet; firstly, you will see it and remember to use it every time you go, secondly, you will already be half undressed, and it will be easy to apply.
- Barrier creams such as Epaderm or Hydramol can be applied prior to passing urine to protect your skin and prevent the urine stinging. It can be smeared on the edges of your sanitary or incontinence pad if it's easier and should be used prior to swimming.
- Decant some into a smaller pot to carry in your handbag. This means you will never be without relief wherever you are. Travel pots can be bought from Boots, Superdrug and sometimes Primark very cheaply.

- Continue with the soap substitutes and moisturising even when your symptoms have settled as this is what helps keep the condition under control. It is particularly important to continue after a course of steroid ointment.
- Ensure that your GP has your soap substitute and emollient on a repeat prescription basis so that you can get it more easily. Most symptoms reoccur when you stop using the treatments regularly.
- Remember, we can only advise treatment. Applying and maintaining it to control your symptoms is down to you so make sure you know how to manage your condition especially for when you get discharged.

This leaflet can be made available in different formats on request. If you would like to make any suggestions or comments about the content of this leaflet, then please contact the Patient Experience Team on 0151 702 4353 or by email at pals@lwh.nhs.uk

Liverpool Women's NHS Foundation Trust
Crown Street
Liverpool
L8 7SS

Tel: 0151 708 9988

Issue Date: 01/03/2019

Reference: Gyn_2023-231-v2

Review Date: 01/03/2025

© Liverpool Women's NHS Foundation Trust